

PRODUCT DATA SHEET

Radiata Pine Plywood - Structural.

Description: General purpose construction plywood from NZ grown Radiata Pine. Rotary cut

veneer, plantation grown.

• **Specie:** Pinus Radiata

Colour: Straw to pale golden

Size: Standard 2400x1200mm

2700x1200mm

• **Thicknesses:** 7mm, 9mm, 12mm, 15mm, 18mm, 19mm, 21mm & 25mm

Grades:
BB, BD, CD, DD

Texture: Dependant on selected grade

• **Source:** NZ origin, from sustainably managed forests.

Certification:
NZ Manufactured structural Radiata Construction ply meets AS/NZS2269 standard.

• **Gluing:** Bonded with synthetic phenolic (PF) resin set and cured under heat and pressure in

controlled conditions to form a durable A Bond/WBP.

• Strength: F8

Preservative

Treatment: All grades available in H3.2 CCA or H3.1LOSP Azole treatment.

Durability:
NZ Radiata Pine is a non durable specie. For exposed applications H3.2 treatment is

required. Edges are to be treated after cutting.

Uses: For residential, commercial and industrial construction, packaging, bracing, cladding,

panelling etc.